

GOLD LABEL Banded Classical - Product Description



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

V-Belt Banded

Part Number Description: **3/B200GL**

3/: Numer of Ribs

B: Profile

200: Internal Length (mm)

GL: Gold Label

Features and Benefits:

Tie Band Fabric: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Prevents Vibrations and belt Turn-over

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

MM: Made for Match

Designed for OEMs

Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty drives

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: ISO 5291

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.33	0.74
3/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.50	1.10
4/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.67	1.47
5/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.84	1.84
20/A42GL	A	1067	1100	1117	42.00	43.30	44.00	3.34	7.36
2/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.34	0.75
3/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.51	1.13
4/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.68	1.51
5/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.85	1.88
20/A43GL	A	1092	1125	1142	43.00	44.30	45.00	3.42	7.53
2/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.35	0.77
3/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.52	1.15
4/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.70	1.54
5/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.87	1.92
20/A44GL	A	1118	1151	1168	44.00	45.30	46.00	3.49	7.70
2/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.36	0.80
3/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.55	1.20
4/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.73	1.61
5/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.91	2.01
20/A46GL	A	1168	1201	1218	46.00	47.30	48.00	3.64	8.03
2/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.37	0.82
3/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.56	1.23
4/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.74	1.64
5/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.93	2.05
20/A47GL	A	1194	1227	1244	47.00	48.30	49.00	3.72	8.20
2/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.38	0.84
3/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.57	1.25
4/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.76	1.67
5/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.95	2.09
20/A48GL	A	1219	1252	1269	48.00	49.30	50.00	3.80	8.36
2/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.39	0.85
3/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.58	1.28
4/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.77	1.71
5/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.97	2.13
20/A49GL	A	1245	1278	1295	49.00	50.30	51.00	3.87	8.53
2/A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.40	0.89
3/A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.60	1.33
4/A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.80	1.77
5/A51GL	A	1295	1328	1345	51.00	52.30	53.00	1.01	2.22
20/A51GL	A	1295	1328	1345	51.00	52.30	53.00	4.02	8.86
2/A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.42	0.92
3/A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.63	1.38
4/A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.84	1.84
5/A53GL	A	1346	1379	1396	53.00	54.30	55.00	1.04	2.30
20/A53GL	A	1346	1379	1396	53.00	54.30	55.00	4.18	9.20
2/A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.43	0.94
3/A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.64	1.41
4/A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.85	1.87
5/A54GL	A	1372	1405	1422	54.00	55.30	56.00	1.06	2.34
20/A54GL	A	1372	1405	1422	54.00	55.30	56.00	4.25	9.37
2/A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.43	0.95
3/A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.65	1.43
4/A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.87	1.91
5/A55GL	A	1397	1430	1447	55.00	56.30	57.00	1.08	2.38
20/A55GL	A	1397	1430	1447	55.00	56.30	57.00	4.33	9.54
2/A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.44	0.97
3/A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.66	1.46

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.88	1.94
5/A56GL	A	1422	1455	1472	56.00	57.30	58.00	1.10	2.43
20/A56GL	A	1422	1455	1472	56.00	57.30	58.00	4.40	9.70
2/A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.45	0.99
3/A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.67	1.48
4/A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.90	1.97
5/A57GL	A	1448	1481	1498	57.00	58.30	59.00	1.12	2.47
20/A57GL	A	1448	1481	1498	57.00	58.30	59.00	4.48	9.87
2/A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.46	1.00
3/A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.68	1.51
4/A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.91	2.01
5/A58GL	A	1473	1506	1523	58.00	59.30	60.00	1.14	2.51
20/A58GL	A	1473	1506	1523	58.00	59.30	60.00	4.56	10.04
2/A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.47	1.04
3/A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.71	1.56
4/A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.94	2.07
5/A60GL	A	1524	1557	1574	60.00	61.30	62.00	1.18	2.59
20/A60GL	A	1524	1557	1574	60.00	61.30	62.00	4.71	10.37
2/A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.49	1.07
3/A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.73	1.61
4/A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.97	2.14
5/A62GL	A	1575	1608	1625	62.00	63.30	64.00	1.22	2.68
20/A62GL	A	1575	1608	1625	62.00	63.30	64.00	4.86	10.71
2/A64GL	A	1626	1659	1676	64.00	65.30	66.00	0.50	1.10
3/A64GL	A	1626	1659	1676	64.00	65.30	66.00	0.75	1.66
4/A64GL	A	1626	1659	1676	64.00	65.30	66.00	1.00	2.21
5/A64GL	A	1626	1659	1676	64.00	65.30	66.00	1.25	2.76
20/A64GL	A	1626	1659	1676	64.00	65.30	66.00	5.01	11.05
2/A65GL	A	1651	1684	1701	65.00	66.30	67.00	0.51	1.12
3/A65GL	A	1651	1684	1701	65.00	66.30	67.00	0.76	1.68
4/A65GL	A	1651	1684	1701	65.00	66.30	67.00	1.02	2.24
5/A65GL	A	1651	1684	1701	65.00	66.30	67.00	1.27	2.80
20/A65GL	A	1651	1684	1701	65.00	66.30	67.00	5.09	11.21
2/A66GL	A	1676	1709	1726	66.00	67.30	68.00	0.516	1.14
3/A66GL	A	1676	1709	1726	66.00	67.30	68.00	0.775	1.71
4/A66GL	A	1676	1709	1726	66.00	67.30	68.00	1.03	2.28
5/A66GL	A	1676	1709	1726	66.00	67.30	68.00	1.29	2.84
20/A66GL	A	1676	1709	1726	66.00	67.30	68.00	5.16	11.38
2/A68GL	A	1727	1760	1777	68.00	69.30	70.00	0.53	1.17
3/A68GL	A	1727	1760	1777	68.00	69.30	70.00	0.80	1.76
4/A68GL	A	1727	1760	1777	68.00	69.30	70.00	1.06	2.34
5/A68GL	A	1727	1760	1777	68.00	69.30	70.00	1.33	2.93
20/A68GL	A	1727	1760	1777	68.00	69.30	70.00	5.32	11.71
2/A70GL	A	1778	1811	1828	70.00	71.30	72.00	0.55	1.20
3/A70GL	A	1778	1811	1828	70.00	71.30	72.00	0.82	1.81
4/A70GL	A	1778	1811	1828	70.00	71.30	72.00	1.09	2.41
5/A70GL	A	1778	1811	1828	70.00	71.30	72.00	1.37	3.01
20/A70GL	A	1778	1811	1828	70.00	71.30	72.00	5.47	12.05
2/A71GL	A	1803	1836	1853	71.00	72.30	73.00	0.55	1.22
3/A71GL	A	1803	1836	1853	71.00	72.30	73.00	0.83	1.83
4/A71GL	A	1803	1836	1853	71.00	72.30	73.00	1.11	2.44
5/A71GL	A	1803	1836	1853	71.00	72.30	73.00	1.39	3.05
20/A71GL	A	1803	1836	1853	71.00	72.30	73.00	5.54	12.21
2/A74GL	A	1880	1913	1930	74.00	75.30	76.00	0.58	1.27
3/A74GL	A	1880	1913	1930	74.00	75.30	76.00	0.87	1.91
4/A74GL	A	1880	1913	1930	74.00	75.30	76.00	1.15	2.54
5/A74GL	A	1880	1913	1930	74.00	75.30	76.00	1.44	3.18

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
20/A74GL	A	1880	1913	1930	74.00	75.30	76.00	5.77	12.72
2/A75GL	A	1905	1938	1955	75.00	76.30	77.00	0.58	1.29
3/A75GL	A	1905	1938	1955	75.00	76.30	77.00	0.88	1.93
4/A75GL	A	1905	1938	1955	75.00	76.30	77.00	1.17	2.58
5/A75GL	A	1905	1938	1955	75.00	76.30	77.00	1.46	3.22
20/A75GL	A	1905	1938	1955	75.00	76.30	77.00	5.85	12.88
2/A77GL	A	1956	1989	2006	77.00	78.30	79.00	0.60	1.32
3/A77GL	A	1956	1989	2006	77.00	78.30	79.00	0.90	1.98
4/A77GL	A	1956	1989	2006	77.00	78.30	79.00	1.20	2.64
5/A77GL	A	1956	1989	2006	77.00	78.30	79.00	1.50	3.31
20/A77GL	A	1956	1989	2006	77.00	78.30	79.00	6.00	13.22
2/A78GL	A	1981	2014	2031	78.00	79.30	80.00	0.61	1.34
3/A78GL	A	1981	2014	2031	78.00	79.30	80.00	0.91	2.01
4/A78GL	A	1981	2014	2031	78.00	79.30	80.00	1.22	2.68
5/A78GL	A	1981	2014	2031	78.00	79.30	80.00	1.52	3.35
20/A78GL	A	1981	2014	2031	78.00	79.30	80.00	6.08	13.39
2/A80GL	A	2032	2065	2082	80.00	81.30	82.00	0.62	1.37
3/A80GL	A	2032	2065	2082	80.00	81.30	82.00	0.93	2.06
4/A80GL	A	2032	2065	2082	80.00	81.30	82.00	1.25	2.74
5/A80GL	A	2032	2065	2082	80.00	81.30	82.00	1.56	3.43
20/A80GL	A	2032	2065	2082	80.00	81.30	82.00	6.23	13.72
2/A81GL	A	2057	2090	2107	81.00	82.30	83.00	0.63	1.39
3/A81GL	A	2057	2090	2107	81.00	82.30	83.00	0.95	2.08
4/A81GL	A	2057	2090	2107	81.00	82.30	83.00	1.26	2.78
5/A81GL	A	2057	2090	2107	81.00	82.30	83.00	1.58	3.47
20/A81GL	A	2057	2090	2107	81.00	82.30	83.00	6.30	13.89
2/A83GL	A	2108	2141	2158	83.00	84.30	85.00	0.65	1.42
3/A83GL	A	2108	2141	2158	83.00	84.30	85.00	0.97	2.13
4/A83GL	A	2108	2141	2158	83.00	84.30	85.00	1.29	2.84
5/A83GL	A	2108	2141	2158	83.00	84.30	85.00	1.61	3.56
20/A83GL	A	2108	2141	2158	83.00	84.30	85.00	6.46	14.22
2/A85GL	A	2159	2192	2209	85.00	86.30	87.00	0.66	1.46
3/A85GL	A	2159	2192	2209	85.00	86.30	87.00	0.99	2.18
4/A85GL	A	2159	2192	2209	85.00	86.30	87.00	1.32	2.91
5/A85GL	A	2159	2192	2209	85.00	86.30	87.00	1.65	3.64
20/A85GL	A	2159	2192	2209	85.00	86.30	87.00	6.61	14.56
2/A90GL	A	2286	2319	2336	90.00	91.30	92.00	0.70	1.54
3/A90GL	A	2286	2319	2336	90.00	91.30	92.00	1.05	2.31
4/A90GL	A	2286	2319	2336	90.00	91.30	92.00	1.40	3.08
5/A90GL	A	2286	2319	2336	90.00	91.30	92.00	1.75	3.85
20/A90GL	A	2286	2319	2336	90.00	91.30	92.00	6.99	15.40
2/A91GL	A	2311	2344	2361	91.00	92.30	93.00	0.71	1.56
3/A91GL	A	2311	2344	2361	91.00	92.30	93.00	1.06	2.33
4/A91GL	A	2311	2344	2361	91.00	92.30	93.00	1.41	3.11
5/A91GL	A	2311	2344	2361	91.00	92.30	93.00	1.77	3.89
20/A91GL	A	2311	2344	2361	91.00	92.30	93.00	7.06	15.56
2/A92GL	A	2337	2370	2387	92.00	93.30	94.00	0.71	1.57
3/A92GL	A	2337	2370	2387	92.00	93.30	94.00	1.07	2.36
4/A92GL	A	2337	2370	2387	92.00	93.30	94.00	1.43	3.15
5/A92GL	A	2337	2370	2387	92.00	93.30	94.00	1.79	3.93
20/A92GL	A	2337	2370	2387	92.00	93.30	94.00	7.14	15.73
2/A96GL	A	2438	2471	2488	96.00	97.30	98.00	0.74	1.64
3/A96GL	A	2438	2471	2488	96.00	97.30	98.00	1.12	2.46
4/A96GL	A	2438	2471	2488	96.00	97.30	98.00	1.49	3.28
5/A96GL	A	2438	2471	2488	96.00	97.30	98.00	1.86	4.10
20/A96GL	A	2438	2471	2488	96.00	97.30	98.00	7.44	16.40
2/A100GL	A	2540	2573	2590	100.00	101.30	102.00	0.77	1.71

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/A100GL	A	2540	2573	2590	100.00	101.30	102.00	1.16	2.56
4/A100GL	A	2540	2573	2590	100.00	101.30	102.00	1.55	3.41
5/A100GL	A	2540	2573	2590	100.00	101.30	102.00	1.94	4.27
20/A100GL	A	2540	2573	2590	100.00	101.30	102.00	7.75	17.07
2/A105GL	A	2667	2700	2717	105.00	106.30	107.00	0.81	1.79
3/A105GL	A	2667	2700	2717	105.00	106.30	107.00	1.22	2.69
4/A105GL	A	2667	2700	2717	105.00	106.30	107.00	1.63	3.58
5/A105GL	A	2667	2700	2717	105.00	106.30	107.00	2.03	4.48
20/A105GL	A	2667	2700	2717	105.00	106.30	107.00	8.13	17.91
2/A110GL	A	2794	2827	2844	110.00	111.30	112.00	0.85	1.87
3/A110GL	A	2794	2827	2844	110.00	111.30	112.00	1.28	2.81
4/A110GL	A	2794	2827	2844	110.00	111.30	112.00	1.70	3.75
5/A110GL	A	2794	2827	2844	110.00	111.30	112.00	2.13	4.69
20/A110GL	A	2794	2827	2844	110.00	111.30	112.00	8.51	18.74
2/A112GL	A	2845	2878	2895	112.00	113.30	114.00	0.87	1.91
3/A112GL	A	2845	2878	2895	112.00	113.30	114.00	1.30	2.86
4/A112GL	A	2845	2878	2895	112.00	113.30	114.00	1.73	3.82
5/A112GL	A	2845	2878	2895	112.00	113.30	114.00	2.17	4.77
20/A112GL	A	2845	2878	2895	112.00	113.30	114.00	8.66	19.08
2/A120GL	A	3048	3081	3098	120.00	121.30	122.00	0.93	2.04
3/A120GL	A	3048	3081	3098	120.00	121.30	122.00	1.39	3.06
4/A120GL	A	3048	3081	3098	120.00	121.30	122.00	1.85	4.08
5/A120GL	A	3048	3081	3098	120.00	121.30	122.00	2.32	5.10
20/A120GL	A	3048	3081	3098	120.00	121.30	122.00	9.27	20.42
2/A128GL	A	3251	3284	3301	128.00	129.30	130.00	0.99	2.18
3/A128GL	A	3251	3284	3301	128.00	129.30	130.00	1.48	3.26
4/A128GL	A	3251	3284	3301	128.00	129.30	130.00	1.98	4.35
5/A128GL	A	3251	3284	3301	128.00	129.30	130.00	2.47	5.44
20/A128GL	A	3251	3284	3301	128.00	129.30	130.00	9.88	21.76
2/A136GL	A	3454	3487	3504	136.00	137.30	138.00	1.05	2.31
3/A136GL	A	3454	3487	3504	136.00	137.30	138.00	1.57	3.46
4/A136GL	A	3454	3487	3504	136.00	137.30	138.00	2.10	4.62
5/A136GL	A	3454	3487	3504	136.00	137.30	138.00	2.62	5.77
20/A136GL	A	3454	3487	3504	136.00	137.30	138.00	10.48	23.09
2/A144GL	A	3658	3691	3708	144.00	145.30	146.00	1.11	2.44
3/A144GL	A	3658	3691	3708	144.00	145.30	146.00	1.66	3.67
4/A144GL	A	3658	3691	3708	144.00	145.30	146.00	2.22	4.89
5/A144GL	A	3658	3691	3708	144.00	145.30	146.00	2.77	6.11
20/A144GL	A	3658	3691	3708	144.00	145.30	146.00	11.09	24.44
2/A158GL	A	4013	4046	4063	158.00	159.30	160.00	1.22	2.68
3/A158GL	A	4013	4046	4063	158.00	159.30	160.00	1.82	4.02
4/A158GL	A	4013	4046	4063	158.00	159.30	160.00	2.43	5.36
5/A158GL	A	4013	4046	4063	158.00	159.30	160.00	3.04	6.69
20/A158GL	A	4013	4046	4063	158.00	159.30	160.00	12.16	26.78
2/A162GL	A	4115	4148	4165	162.00	163.30	164.00	1.25	2.74
3/A162GL	A	4115	4148	4165	162.00	163.30	164.00	1.87	4.12
4/A162GL	A	4115	4148	4165	162.00	163.30	164.00	2.49	5.49
5/A162GL	A	4115	4148	4165	162.00	163.30	164.00	3.12	6.86
20/A162GL	A	4115	4148	4165	162.00	163.30	164.00	12.46	27.45
2/A173GL	A	4394	4427	4444	173.00	174.30	175.00	1.33	2.93
3/A173GL	A	4394	4427	4444	173.00	174.30	175.00	1.99	4.39
4/A173GL	A	4394	4427	4444	173.00	174.30	175.00	2.66	5.86
5/A173GL	A	4394	4427	4444	173.00	174.30	175.00	3.32	7.32
20/A173GL	A	4394	4427	4444	173.00	174.30	175.00	13.30	29.29
2/A180GL	A	4572	4605	4622	180.00	181.30	182.00	1.38	3.05
3/A180GL	A	4572	4605	4622	180.00	181.30	182.00	2.07	4.57
4/A180GL	A	4572	4605	4622	180.00	181.30	182.00	2.77	6.09

GOLD LABEL Banded Classical - Size List



V-Belt Banded **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5/A180GL	A	4572	4605	4622	180.00	181.30	182.00	3.46	7.62
20/A180GL	A	4572	4605	4622	180.00	181.30	182.00	13.83	30.46
2/B47GL	B	1194	1234	1263	47.00	48.60	49.75	0.66	1.45
3/B47GL	B	1194	1234	1263	47.00	48.60	49.75	0.98	2.17
4/B47GL	B	1194	1234	1263	47.00	48.60	49.75	1.31	2.89
5/B47GL	B	1194	1234	1263	47.00	48.60	49.75	1.64	3.61
16/B47GL	B	1194	1234	1263	47.00	48.60	49.75	5.25	11.57
2/B48GL	B	1219	1259	1288	48.00	49.60	50.75	0.67	1.47
3/B48GL	B	1219	1259	1288	48.00	49.60	50.75	1.00	2.21
4/B48GL	B	1219	1259	1288	48.00	49.60	50.75	1.34	2.95
5/B48GL	B	1219	1259	1288	48.00	49.60	50.75	1.67	3.69
16/B48GL	B	1219	1259	1288	48.00	49.60	50.75	5.35	11.79
2/B50GL	B	1270	1310	1339	50.00	51.60	52.75	0.70	1.53
3/B50GL	B	1270	1310	1339	50.00	51.60	52.75	1.04	2.30
4/B50GL	B	1270	1310	1339	50.00	51.60	52.75	1.39	3.07
5/B50GL	B	1270	1310	1339	50.00	51.60	52.75	1.74	3.83
16/B50GL	B	1270	1310	1339	50.00	51.60	52.75	5.57	12.26
2/B51GL	B	1295	1335	1364	51.00	52.60	53.75	0.71	1.56
3/B51GL	B	1295	1335	1364	51.00	52.60	53.75	1.06	2.34
4/B51GL	B	1295	1335	1364	51.00	52.60	53.75	1.42	3.12
5/B51GL	B	1295	1335	1364	51.00	52.60	53.75	1.77	3.90
16/B51GL	B	1295	1335	1364	51.00	52.60	53.75	5.67	12.49
2/B52GL	B	1321	1361	1390	52.00	53.60	54.75	0.72	1.59
3/B52GL	B	1321	1361	1390	52.00	53.60	54.75	1.08	2.39
4/B52GL	B	1321	1361	1390	52.00	53.60	54.75	1.44	3.18
5/B52GL	B	1321	1361	1390	52.00	53.60	54.75	1.81	3.98
16/B52GL	B	1321	1361	1390	52.00	53.60	54.75	5.78	12.73
2/B53GL	B	1346	1386	1415	53.00	54.60	55.75	0.74	1.62
3/B53GL	B	1346	1386	1415	53.00	54.60	55.75	1.10	2.43
4/B53GL	B	1346	1386	1415	53.00	54.60	55.75	1.47	3.24
5/B53GL	B	1346	1386	1415	53.00	54.60	55.75	1.84	4.05
16/B53GL	B	1346	1386	1415	53.00	54.60	55.75	5.88	12.96
2/B54GL	B	1372	1412	1441	54.00	55.60	56.75	0.75	1.65
3/B54GL	B	1372	1412	1441	54.00	55.60	56.75	1.12	2.47
4/B54GL	B	1372	1412	1441	54.00	55.60	56.75	1.50	3.30
5/B54GL	B	1372	1412	1441	54.00	55.60	56.75	1.87	4.12
16/B54GL	B	1372	1412	1441	54.00	55.60	56.75	5.99	13.20
2/B55GL	B	1397	1437	1466	55.00	56.60	57.75	0.76	1.68
3/B55GL	B	1397	1437	1466	55.00	56.60	57.75	1.14	2.52
4/B55GL	B	1397	1437	1466	55.00	56.60	57.75	1.52	3.36
5/B55GL	B	1397	1437	1466	55.00	56.60	57.75	1.90	4.20
16/B55GL	B	1397	1437	1466	55.00	56.60	57.75	6.09	13.42
2/B56GL	B	1422	1462	1491	56.00	57.60	58.75	0.77	1.71
3/B56GL	B	1422	1462	1491	56.00	57.60	58.75	1.16	2.56
4/B56GL	B	1422	1462	1491	56.00	57.60	58.75	1.55	3.41
5/B56GL	B	1422	1462	1491	56.00	57.60	58.75	1.94	4.27
16/B56GL	B	1422	1462	1491	56.00	57.60	58.75	6.20	13.65
2/B57GL	B	1448	1488	1517	57.00	58.60	59.75	0.79	1.74
3/B57GL	B	1448	1488	1517	57.00	58.60	59.75	1.18	2.60
4/B57GL	B	1448	1488	1517	57.00	58.60	59.75	1.58	3.47
5/B57GL	B	1448	1488	1517	57.00	58.60	59.75	1.97	4.34
16/B57GL	B	1448	1488	1517	57.00	58.60	59.75	6.31	13.89
2/B58GL	B	1473	1513	1542	58.00	59.60	60.75	0.80	1.77
3/B58GL	B	1473	1513	1542	58.00	59.60	60.75	1.20	2.65
4/B58GL	B	1473	1513	1542	58.00	59.60	60.75	1.60	3.53
5/B58GL	B	1473	1513	1542	58.00	59.60	60.75	2.00	4.41
16/B58GL	B	1473	1513	1542	58.00	59.60	60.75	6.41	14.12

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/B59GL	B	1499	1539	1568	59.00	60.60	61.75	0.81	1.79
3/B59GL	B	1499	1539	1568	59.00	60.60	61.75	1.22	2.69
4/B59GL	B	1499	1539	1568	59.00	60.60	61.75	1.63	3.59
5/B59GL	B	1499	1539	1568	59.00	60.60	61.75	2.04	4.49
16/B59GL	B	1499	1539	1568	59.00	60.60	61.75	6.52	14.36
2/B60GL	B	1524	1564	1593	60.00	61.60	62.75	0.83	1.82
3/B60GL	B	1524	1564	1593	60.00	61.60	62.75	1.24	2.74
4/B60GL	B	1524	1564	1593	60.00	61.60	62.75	1.66	3.65
5/B60GL	B	1524	1564	1593	60.00	61.60	62.75	2.07	4.56
16/B60GL	B	1524	1564	1593	60.00	61.60	62.75	6.62	14.59
2/B61GL	B	1549	1589	1618	61.00	62.60	63.75	0.84	1.85
3/B61GL	B	1549	1589	1618	61.00	62.60	63.75	1.26	2.78
4/B61GL	B	1549	1589	1618	61.00	62.60	63.75	1.68	3.70
5/B61GL	B	1549	1589	1618	61.00	62.60	63.75	2.10	4.63
16/B61GL	B	1549	1589	1618	61.00	62.60	63.75	6.73	14.82
2/B62GL	B	1575	1615	1644	62.00	63.60	64.75	0.85	1.88
3/B62GL	B	1575	1615	1644	62.00	63.60	64.75	1.28	2.82
4/B62GL	B	1575	1615	1644	62.00	63.60	64.75	1.71	3.76
5/B62GL	B	1575	1615	1644	62.00	63.60	64.75	2.14	4.70
16/B62GL	B	1575	1615	1644	62.00	63.60	64.75	6.83	15.05
2/B63GL	B	1600	1640	1669	63.00	64.60	65.75	0.87	1.91
3/B63GL	B	1600	1640	1669	63.00	64.60	65.75	1.30	2.87
4/B63GL	B	1600	1640	1669	63.00	64.60	65.75	1.73	3.82
5/B63GL	B	1600	1640	1669	63.00	64.60	65.75	2.17	4.78
16/B63GL	B	1600	1640	1669	63.00	64.60	65.75	6.94	15.28
2/B64GL	B	1626	1666	1695	64.00	65.60	66.75	0.88	1.94
3/B64GL	B	1626	1666	1695	64.00	65.60	66.75	1.32	2.91
4/B64GL	B	1626	1666	1695	64.00	65.60	66.75	1.76	3.88
5/B64GL	B	1626	1666	1695	64.00	65.60	66.75	2.20	4.85
16/B64GL	B	1626	1666	1695	64.00	65.60	66.75	7.05	15.52
2/B65GL	B	1651	1691	1720	65.00	66.60	67.75	0.89	1.97
3/B65GL	B	1651	1691	1720	65.00	66.60	67.75	1.34	2.95
4/B65GL	B	1651	1691	1720	65.00	66.60	67.75	1.79	3.94
5/B65GL	B	1651	1691	1720	65.00	66.60	67.75	2.23	4.92
16/B65GL	B	1651	1691	1720	65.00	66.60	67.75	7.15	15.75
2/B66GL	B	1676	1716	1745	66.00	67.60	68.75	0.91	2.00
3/B66GL	B	1676	1716	1745	66.00	67.60	68.75	1.36	3.00
4/B66GL	B	1676	1716	1745	66.00	67.60	68.75	1.81	3.99
5/B66GL	B	1676	1716	1745	66.00	67.60	68.75	2.27	4.99
16/B66GL	B	1676	1716	1745	66.00	67.60	68.75	7.25	15.98
2/B67GL	B	1702	1742	1771	67.00	68.60	69.75	0.92	2.03
3/B67GL	B	1702	1742	1771	67.00	68.60	69.75	1.38	3.04
4/B67GL	B	1702	1742	1771	67.00	68.60	69.75	1.84	4.05
5/B67GL	B	1702	1742	1771	67.00	68.60	69.75	2.30	5.07
16/B67GL	B	1702	1742	1771	67.00	68.60	69.75	7.36	16.22
2/B68GL	B	1727	1767	1796	68.00	69.60	70.75	0.93	2.06
3/B68GL	B	1727	1767	1796	68.00	69.60	70.75	1.40	3.08
4/B68GL	B	1727	1767	1796	68.00	69.60	70.75	1.87	4.11
5/B68GL	B	1727	1767	1796	68.00	69.60	70.75	2.33	5.14
16/B68GL	B	1727	1767	1796	68.00	69.60	70.75	7.47	16.45
2/B70GL	B	1778	1818	1847	70.00	71.60	72.75	0.96	2.11
3/B70GL	B	1778	1818	1847	70.00	71.60	72.75	1.44	3.17
4/B70GL	B	1778	1818	1847	70.00	71.60	72.75	1.92	4.23
5/B70GL	B	1778	1818	1847	70.00	71.60	72.75	2.40	5.29
16/B70GL	B	1778	1818	1847	70.00	71.60	72.75	7.68	16.91
2/B71GL	B	1803	1843	1872	71.00	72.60	73.75	0.97	2.14
3/B71GL	B	1803	1843	1872	71.00	72.60	73.75	1.46	3.21

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/B71GL	B	1803	1843	1872	71.00	72.60	73.75	1.95	4.29
5/B71GL	B	1803	1843	1872	71.00	72.60	73.75	2.43	5.36
16/B71GL	B	1803	1843	1872	71.00	72.60	73.75	7.78	17.14
2/B72GL	B	1829	1869	1898	72.00	73.60	74.75	0.99	2.17
3/B72GL	B	1829	1869	1898	72.00	73.60	74.75	1.48	3.26
4/B72GL	B	1829	1869	1898	72.00	73.60	74.75	1.97	4.35
5/B72GL	B	1829	1869	1898	72.00	73.60	74.75	2.47	5.43
16/B72GL	B	1829	1869	1898	72.00	73.60	74.75	7.89	17.38
2/B73GL	B	1854	1894	1923	73.00	74.60	75.75	1.00	2.20
3/B73GL	B	1854	1894	1923	73.00	74.60	75.75	1.50	3.30
4/B73GL	B	1854	1894	1923	73.00	74.60	75.75	2.00	4.40
5/B73GL	B	1854	1894	1923	73.00	74.60	75.75	2.50	5.50
16/B73GL	B	1854	1894	1923	73.00	74.60	75.75	7.99	17.61
2/B74GL	B	1880	1920	1949	74.00	75.60	76.75	1.01	2.23
3/B74GL	B	1880	1920	1949	74.00	75.60	76.75	1.52	3.35
4/B74GL	B	1880	1920	1949	74.00	75.60	76.75	2.03	4.46
5/B74GL	B	1880	1920	1949	74.00	75.60	76.75	2.53	5.58
16/B74GL	B	1880	1920	1949	74.00	75.60	76.75	8.10	17.85
2/B75GL	B	1905	1945	1974	75.00	76.60	77.75	1.03	2.26
3/B75GL	B	1905	1945	1974	75.00	76.60	77.75	1.54	3.39
4/B75GL	B	1905	1945	1974	75.00	76.60	77.75	2.05	4.52
5/B75GL	B	1905	1945	1974	75.00	76.60	77.75	2.56	5.65
16/B75GL	B	1905	1945	1974	75.00	76.60	77.75	8.21	18.08
2/B77GL	B	1956	1996	2025	77.00	78.60	79.75	1.05	2.32
3/B77GL	B	1956	1996	2025	77.00	78.60	79.75	1.58	3.48
4/B77GL	B	1956	1996	2025	77.00	78.60	79.75	2.10	4.64
5/B77GL	B	1956	1996	2025	77.00	78.60	79.75	2.63	5.79
16/B77GL	B	1956	1996	2025	77.00	78.60	79.75	8.42	18.54
2/B78GL	B	1981	2021	2050	78.00	79.60	80.75	1.07	2.35
3/B78GL	B	1981	2021	2050	78.00	79.60	80.75	1.60	3.52
4/B78GL	B	1981	2021	2050	78.00	79.60	80.75	2.13	4.69
5/B78GL	B	1981	2021	2050	78.00	79.60	80.75	2.66	5.87
16/B78GL	B	1981	2021	2050	78.00	79.60	80.75	8.52	18.77
2/B79GL	B	2007	2047	2076	79.00	80.60	81.75	1.08	2.38
3/B79GL	B	2007	2047	2076	79.00	80.60	81.75	1.62	3.56
4/B79GL	B	2007	2047	2076	79.00	80.60	81.75	2.16	4.75
5/B79GL	B	2007	2047	2076	79.00	80.60	81.75	2.70	5.94
16/B79GL	B	2007	2047	2076	79.00	80.60	81.75	8.63	19.01
2/B80GL	B	2032	2072	2101	80.00	81.60	82.75	1.09	2.40
3/B80GL	B	2032	2072	2101	80.00	81.60	82.75	1.64	3.61
4/B80GL	B	2032	2072	2101	80.00	81.60	82.75	2.18	4.81
5/B80GL	B	2032	2072	2101	80.00	81.60	82.75	2.73	6.01
16/B80GL	B	2032	2072	2101	80.00	81.60	82.75	8.73	19.24
2/B81GL	B	2057	2097	2126	81.00	82.60	83.75	1.10	2.43
3/B81GL	B	2057	2097	2126	81.00	82.60	83.75	1.66	3.65
4/B81GL	B	2057	2097	2126	81.00	82.60	83.75	2.21	4.87
5/B81GL	B	2057	2097	2126	81.00	82.60	83.75	2.76	6.08
16/B81GL	B	2057	2097	2126	81.00	82.60	83.75	8.84	19.47
2/B82GL	B	2083	2123	2152	82.00	83.60	84.75	1.12	2.46
3/B82GL	B	2083	2123	2152	82.00	83.60	84.75	1.68	3.70
4/B82GL	B	2083	2123	2152	82.00	83.60	84.75	2.24	4.93
5/B82GL	B	2083	2123	2152	82.00	83.60	84.75	2.80	6.16
16/B82GL	B	2083	2123	2152	82.00	83.60	84.75	8.95	19.71
2/B83GL	B	2108	2148	2177	83.00	84.60	85.75	1.13	2.49
3/B83GL	B	2108	2148	2177	83.00	84.60	85.75	1.70	3.74
4/B83GL	B	2108	2148	2177	83.00	84.60	85.75	2.26	4.98
5/B83GL	B	2108	2148	2177	83.00	84.60	85.75	2.83	6.23

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
16/B83GL	B	2108	2148	2177	83.00	84.60	85.75	9.05	19.94
2/B84GL	B	2134	2174	2203	84.00	85.60	86.75	1.14	2.52
3/B84GL	B	2134	2174	2203	84.00	85.60	86.75	1.72	3.78
4/B84GL	B	2134	2174	2203	84.00	85.60	86.75	2.29	5.04
5/B84GL	B	2134	2174	2203	84.00	85.60	86.75	2.86	6.30
16/B84GL	B	2134	2174	2203	84.00	85.60	86.75	9.16	20.17
2/B85GL	B	2159	2199	2228	85.00	86.60	87.75	1.16	2.55
3/B85GL	B	2159	2199	2228	85.00	86.60	87.75	1.74	3.83
4/B85GL	B	2159	2199	2228	85.00	86.60	87.75	2.32	5.10
5/B85GL	B	2159	2199	2228	85.00	86.60	87.75	2.89	6.38
16/B85GL	B	2159	2199	2228	85.00	86.60	87.75	9.26	20.40
2/B86GL	B	2184	2224	2253	86.00	87.60	88.75	1.17	2.58
3/B86GL	B	2184	2224	2253	86.00	87.60	88.75	1.76	3.87
4/B86GL	B	2184	2224	2253	86.00	87.60	88.75	2.34	5.16
5/B86GL	B	2184	2224	2253	86.00	87.60	88.75	2.93	6.45
16/B86GL	B	2184	2224	2253	86.00	87.60	88.75	9.37	20.63
2/B87GL	B	2210	2250	2279	87.00	88.60	89.75	1.18	2.61
3/B87GL	B	2210	2250	2279	87.00	88.60	89.75	1.78	3.91
4/B87GL	B	2210	2250	2279	87.00	88.60	89.75	2.37	5.22
5/B87GL	B	2210	2250	2279	87.00	88.60	89.75	2.96	6.52
16/B87GL	B	2210	2250	2279	87.00	88.60	89.75	9.47	20.87
2/B88GL	B	2235	2275	2304	88.00	89.60	90.75	1.20	2.64
3/B88GL	B	2235	2275	2304	88.00	89.60	90.75	1.80	3.96
4/B88GL	B	2235	2275	2304	88.00	89.60	90.75	2.39	5.27
5/B88GL	B	2235	2275	2304	88.00	89.60	90.75	2.99	6.59
16/B88GL	B	2235	2275	2304	88.00	89.60	90.75	9.58	21.10
2/B90GL	B	2286	2326	2355	90.00	91.60	92.75	1.22	2.70
3/B90GL	B	2286	2326	2355	90.00	91.60	92.75	1.84	4.04
4/B90GL	B	2286	2326	2355	90.00	91.60	92.75	2.45	5.39
5/B90GL	B	2286	2326	2355	90.00	91.60	92.75	3.06	6.74
16/B90GL	B	2286	2326	2355	90.00	91.60	92.75	9.79	21.57
2/B92GL	B	2337	2377	2406	92.00	93.60	94.75	1.25	2.75
3/B92GL	B	2337	2377	2406	92.00	93.60	94.75	1.88	4.13
4/B92GL	B	2337	2377	2406	92.00	93.60	94.75	2.50	5.51
5/B92GL	B	2337	2377	2406	92.00	93.60	94.75	3.13	6.89
16/B92GL	B	2337	2377	2406	92.00	93.60	94.75	10.00	22.03
2/B93GL	B	2362	2402	2431	93.00	94.60	95.75	1.26	2.78
3/B93GL	B	2362	2402	2431	93.00	94.60	95.75	1.90	4.17
4/B93GL	B	2362	2402	2431	93.00	94.60	95.75	2.53	5.57
5/B93GL	B	2362	2402	2431	93.00	94.60	95.75	3.16	6.96
16/B93GL	B	2362	2402	2431	93.00	94.60	95.75	10.11	22.26
2/B95GL	B	2413	2453	2482	95.00	96.60	97.75	1.29	2.84
3/B95GL	B	2413	2453	2482	95.00	96.60	97.75	1.93	4.26
4/B95GL	B	2413	2453	2482	95.00	96.60	97.75	2.58	5.68
5/B95GL	B	2413	2453	2482	95.00	96.60	97.75	3.22	7.10
16/B95GL	B	2413	2453	2482	95.00	96.60	97.75	10.32	22.73
2/B96GL	B	2438	2478	2507	96.00	97.60	98.75	1.30	2.87
3/B96GL	B	2438	2478	2507	96.00	97.60	98.75	1.95	4.30
4/B96GL	B	2438	2478	2507	96.00	97.60	98.75	2.61	5.74
5/B96GL	B	2438	2478	2507	96.00	97.60	98.75	3.26	7.17
16/B96GL	B	2438	2478	2507	96.00	97.60	98.75	10.42	22.96
2/B97GL	B	2464	2504	2533	97.00	98.60	99.75	1.32	2.90
3/B97GL	B	2464	2504	2533	97.00	98.60	99.75	1.97	4.35
4/B97GL	B	2464	2504	2533	97.00	98.60	99.75	2.63	5.80
5/B97GL	B	2464	2504	2533	97.00	98.60	99.75	3.29	7.25
16/B97GL	B	2464	2504	2533	97.00	98.60	99.75	10.53	23.20
2/B99GL	B	2515	2555	2584	99.00	100.60	101.75	1.34	2.96

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/B99GL	B	2515	2555	2584	99.00	100.60	101.75	2.01	4.44
4/B99GL	B	2515	2555	2584	99.00	100.60	101.75	2.69	5.92
5/B99GL	B	2515	2555	2584	99.00	100.60	101.75	3.36	7.39
16/B99GL	B	2515	2555	2584	99.00	100.60	101.75	10.74	23.66
2/B100GL	B	2540	2580	2609	100.00	101.60	102.75	1.36	2.99
3/B100GL	B	2540	2580	2609	100.00	101.60	102.75	2.03	4.48
4/B100GL	B	2540	2580	2609	100.00	101.60	102.75	2.71	5.97
5/B100GL	B	2540	2580	2609	100.00	101.60	102.75	3.39	7.47
16/B100GL	B	2540	2580	2609	100.00	101.60	102.75	10.85	23.89
2/B101GL	B	2565	2605	2634	101.00	102.60	103.75	1.37	3.02
3/B101GL	B	2565	2605	2634	101.00	102.60	103.75	2.05	4.52
4/B101GL	B	2565	2605	2634	101.00	102.60	103.75	2.74	6.03
5/B101GL	B	2565	2605	2634	101.00	102.60	103.75	3.42	7.54
16/B101GL	B	2565	2605	2634	101.00	102.60	103.75	10.95	24.12
2/B103GL	B	2616	2656	2685	103.00	104.60	105.75	1.40	3.07
3/B103GL	B	2616	2656	2685	103.00	104.60	105.75	2.09	4.61
4/B103GL	B	2616	2656	2685	103.00	104.60	105.75	2.79	6.15
5/B103GL	B	2616	2656	2685	103.00	104.60	105.75	3.49	7.68
16/B103GL	B	2616	2656	2685	103.00	104.60	105.75	11.16	24.59
2/B104GL	B	2642	2682	2711	104.00	105.60	106.75	1.41	3.10
3/B104GL	B	2642	2682	2711	104.00	105.60	106.75	2.11	4.65
4/B104GL	B	2642	2682	2711	104.00	105.60	106.75	2.82	6.21
5/B104GL	B	2642	2682	2711	104.00	105.60	106.75	3.52	7.76
16/B104GL	B	2642	2682	2711	104.00	105.60	106.75	11.27	24.83
2/B105GL	B	2667	2707	2736	105.00	106.60	107.75	1.42	3.13
3/B105GL	B	2667	2707	2736	105.00	106.60	107.75	2.13	4.70
4/B105GL	B	2667	2707	2736	105.00	106.60	107.75	2.84	6.26
5/B105GL	B	2667	2707	2736	105.00	106.60	107.75	3.55	7.83
16/B105GL	B	2667	2707	2736	105.00	106.60	107.75	11.37	25.05
2/B108GL	B	2743	2783	2812	108.00	109.60	110.75	1.46	3.22
3/B108GL	B	2743	2783	2812	108.00	109.60	110.75	2.19	4.83
4/B108GL	B	2743	2783	2812	108.00	109.60	110.75	2.92	6.44
5/B108GL	B	2743	2783	2812	108.00	109.60	110.75	3.65	8.05
16/B108GL	B	2743	2783	2812	108.00	109.60	110.75	11.69	25.75
2/B109GL	B	2769	2809	2838	109.00	110.60	111.75	1.47	3.25
3/B109GL	B	2769	2809	2838	109.00	110.60	111.75	2.21	4.87
4/B109GL	B	2769	2809	2838	109.00	110.60	111.75	2.95	6.50
5/B109GL	B	2769	2809	2838	109.00	110.60	111.75	3.69	8.12
16/B109GL	B	2769	2809	2838	109.00	110.60	111.75	11.80	25.99
2/B110GL	B	2794	2834	2863	110.00	111.60	112.75	1.49	3.28
3/B110GL	B	2794	2834	2863	110.00	111.60	112.75	2.23	4.92
4/B110GL	B	2794	2834	2863	110.00	111.60	112.75	2.98	6.55
5/B110GL	B	2794	2834	2863	110.00	111.60	112.75	3.72	8.19
16/B110GL	B	2794	2834	2863	110.00	111.60	112.75	11.90	26.22
2/B112GL	B	2845	2885	2914	112.00	113.60	114.75	1.51	3.34
3/B112GL	B	2845	2885	2914	112.00	113.60	114.75	2.27	5.00
4/B112GL	B	2845	2885	2914	112.00	113.60	114.75	3.03	6.67
5/B112GL	B	2845	2885	2914	112.00	113.60	114.75	3.79	8.34
16/B112GL	B	2845	2885	2914	112.00	113.60	114.75	12.11	26.68
2/B113GL	B	2870	2910	2939	113.00	114.60	115.75	1.53	3.36
3/B113GL	B	2870	2910	2939	113.00	114.60	115.75	2.29	5.05
4/B113GL	B	2870	2910	2939	113.00	114.60	115.75	3.05	6.73
5/B113GL	B	2870	2910	2939	113.00	114.60	115.75	3.82	8.41
16/B113GL	B	2870	2910	2939	113.00	114.60	115.75	12.22	26.91
2/B114GL	B	2896	2936	2965	114.00	115.60	116.75	1.54	3.39
3/B114GL	B	2896	2936	2965	114.00	115.60	116.75	2.31	5.09
4/B114GL	B	2896	2936	2965	114.00	115.60	116.75	3.08	6.79

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5/B114GL	B	2896	2936	2965	114.00	115.60	116.75	3.85	8.48
16/B114GL	B	2896	2936	2965	114.00	115.60	116.75	12.33	27.15
2/B115GL	B	2921	2961	2990	115.00	116.60	117.75	1.55	3.42
3/B115GL	B	2921	2961	2990	115.00	116.60	117.75	2.33	5.13
4/B115GL	B	2921	2961	2990	115.00	116.60	117.75	3.11	6.85
5/B115GL	B	2921	2961	2990	115.00	116.60	117.75	3.88	8.56
16/B115GL	B	2921	2961	2990	115.00	116.60	117.75	12.43	27.38
2/B116GL	B	2946	2986	3015	116.00	117.60	118.75	1.57	3.45
3/B116GL	B	2946	2986	3015	116.00	117.60	118.75	2.35	5.18
4/B116GL	B	2946	2986	3015	116.00	117.60	118.75	3.13	6.90
5/B116GL	B	2946	2986	3015	116.00	117.60	118.75	3.92	8.63
16/B116GL	B	2946	2986	3015	116.00	117.60	118.75	12.53	27.61
2/B118GL	B	2997	3037	3066	118.00	119.60	120.75	1.59	3.51
3/B118GL	B	2997	3037	3066	118.00	119.60	120.75	2.39	5.26
4/B118GL	B	2997	3037	3066	118.00	119.60	120.75	3.19	7.02
5/B118GL	B	2997	3037	3066	118.00	119.60	120.75	3.98	8.77
16/B118GL	B	2997	3037	3066	118.00	119.60	120.75	12.75	28.08
2/B120GL	B	3048	3088	3117	120.00	121.60	122.75	1.62	3.57
3/B120GL	B	3048	3088	3117	120.00	121.60	122.75	2.43	5.35
4/B120GL	B	3048	3088	3117	120.00	121.60	122.75	3.24	7.14
5/B120GL	B	3048	3088	3117	120.00	121.60	122.75	4.05	8.92
16/B120GL	B	3048	3088	3117	120.00	121.60	122.75	12.96	28.54
2/B124GL	B	3150	3190	3219	124.00	125.60	126.75	1.67	3.68
3/B124GL	B	3150	3190	3219	124.00	125.60	126.75	2.51	5.53
4/B124GL	B	3150	3190	3219	124.00	125.60	126.75	3.35	7.37
5/B124GL	B	3150	3190	3219	124.00	125.60	126.75	4.18	9.21
16/B124GL	B	3150	3190	3219	124.00	125.60	126.75	13.38	29.48
2/B128GL	B	3251	3291	3320	128.00	129.60	130.75	1.73	3.80
3/B128GL	B	3251	3291	3320	128.00	129.60	130.75	2.59	5.70
4/B128GL	B	3251	3291	3320	128.00	129.60	130.75	3.45	7.60
5/B128GL	B	3251	3291	3320	128.00	129.60	130.75	4.31	9.50
16/B128GL	B	3251	3291	3320	128.00	129.60	130.75	13.80	30.40
2/B130GL	B	3302	3342	3371	130.00	131.60	132.75	1.75	3.86
3/B130GL	B	3302	3342	3371	130.00	131.60	132.75	2.63	5.79
4/B130GL	B	3302	3342	3371	130.00	131.60	132.75	3.50	7.72
5/B130GL	B	3302	3342	3371	130.00	131.60	132.75	4.38	9.65
16/B130GL	B	3302	3342	3371	130.00	131.60	132.75	14.01	30.87
2/B133GL	B	3378	3418	3447	133.00	134.60	135.75	1.79	3.95
3/B133GL	B	3378	3418	3447	133.00	134.60	135.75	2.69	5.92
4/B133GL	B	3378	3418	3447	133.00	134.60	135.75	3.58	7.89
5/B133GL	B	3378	3418	3447	133.00	134.60	135.75	4.48	9.86
16/B133GL	B	3378	3418	3447	133.00	134.60	135.75	14.33	31.57
2/B136GL	B	3454	3494	3523	136.00	137.60	138.75	1.83	4.03
3/B136GL	B	3454	3494	3523	136.00	137.60	138.75	2.75	6.05
4/B136GL	B	3454	3494	3523	136.00	137.60	138.75	3.66	8.07
5/B136GL	B	3454	3494	3523	136.00	137.60	138.75	4.58	10.08
16/B136GL	B	3454	3494	3523	136.00	137.60	138.75	14.65	32.26
2/B138GL	B	3505	3545	3574	138.00	139.60	140.75	1.86	4.09
3/B138GL	B	3505	3545	3574	138.00	139.60	140.75	2.79	6.14
4/B138GL	B	3505	3545	3574	138.00	139.60	140.75	3.71	8.18
5/B138GL	B	3505	3545	3574	138.00	139.60	140.75	4.64	10.23
16/B138GL	B	3505	3545	3574	138.00	139.60	140.75	14.86	32.73
2/B139GL	B	3531	3571	3600	139.00	140.60	141.75	1.87	4.12
3/B139GL	B	3531	3571	3600	139.00	140.60	141.75	2.81	6.18
4/B139GL	B	3531	3571	3600	139.00	140.60	141.75	3.74	8.24
5/B139GL	B	3531	3571	3600	139.00	140.60	141.75	4.68	10.30
16/B139GL	B	3531	3571	3600	139.00	140.60	141.75	14.97	32.97

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/B141GL	B	3581	3621	3650	141.00	142.60	143.75	1.90	4.18
3/B141GL	B	3581	3621	3650	141.00	142.60	143.75	2.85	6.27
4/B141GL	B	3581	3621	3650	141.00	142.60	143.75	3.79	8.36
5/B141GL	B	3581	3621	3650	141.00	142.60	143.75	4.74	10.45
16/B141GL	B	3581	3621	3650	141.00	142.60	143.75	15.17	33.42
2/B144GL	B	3658	3698	3727	144.00	145.60	146.75	1.94	4.27
3/B144GL	B	3658	3698	3727	144.00	145.60	146.75	2.91	6.40
4/B144GL	B	3658	3698	3727	144.00	145.60	146.75	3.87	8.53
5/B144GL	B	3658	3698	3727	144.00	145.60	146.75	4.84	10.67
16/B144GL	B	3658	3698	3727	144.00	145.60	146.75	15.49	34.13
2/B148GL	B	3759	3799	3828	148.00	149.60	150.75	1.99	4.38
3/B148GL	B	3759	3799	3828	148.00	149.60	150.75	2.98	6.57
4/B148GL	B	3759	3799	3828	148.00	149.60	150.75	3.98	8.76
5/B148GL	B	3759	3799	3828	148.00	149.60	150.75	4.97	10.95
16/B148GL	B	3759	3799	3828	148.00	149.60	150.75	15.91	35.05
2/B150GL	B	3810	3850	3879	150.00	151.60	152.75	2.02	4.44
3/B150GL	B	3810	3850	3879	150.00	151.60	152.75	3.02	6.66
4/B150GL	B	3810	3850	3879	150.00	151.60	152.75	4.03	8.88
5/B150GL	B	3810	3850	3879	150.00	151.60	152.75	5.04	11.10
16/B150GL	B	3810	3850	3879	150.00	151.60	152.75	16.13	35.52
2/B152GL	B	3861	3901	3930	152.00	153.60	154.75	2.04	4.50
3/B152GL	B	3861	3901	3930	152.00	153.60	154.75	3.06	6.75
4/B152GL	B	3861	3901	3930	152.00	153.60	154.75	4.08	9.00
5/B152GL	B	3861	3901	3930	152.00	153.60	154.75	5.11	11.25
16/B152GL	B	3861	3901	3930	152.00	153.60	154.75	16.34	35.99
2/B154GL	B	3912	3952	3981	154.00	155.60	156.75	2.07	4.56
3/B154GL	B	3912	3952	3981	154.00	155.60	156.75	3.10	6.84
4/B154GL	B	3912	3952	3981	154.00	155.60	156.75	4.14	9.11
5/B154GL	B	3912	3952	3981	154.00	155.60	156.75	5.17	11.39
16/B154GL	B	3912	3952	3981	154.00	155.60	156.75	16.55	36.46
2/B158GL	B	4013	4053	4082	158.00	159.60	160.75	2.12	4.67
3/B158GL	B	4013	4053	4082	158.00	159.60	160.75	3.18	7.01
4/B158GL	B	4013	4053	4082	158.00	159.60	160.75	4.24	9.35
5/B158GL	B	4013	4053	4082	158.00	159.60	160.75	5.30	11.68
16/B158GL	B	4013	4053	4082	158.00	159.60	160.75	16.97	37.38
2/B160GL	B	4064	4104	4133	160.00	161.60	162.75	2.15	4.73
3/B160GL	B	4064	4104	4133	160.00	161.60	162.75	3.22	7.10
4/B160GL	B	4064	4104	4133	160.00	161.60	162.75	4.30	9.46
5/B160GL	B	4064	4104	4133	160.00	161.60	162.75	5.37	11.83
16/B160GL	B	4064	4104	4133	160.00	161.60	162.75	17.18	37.85
2/B162GL	B	4115	4155	4184	162.00	163.60	164.75	2.17	4.79
3/B162GL	B	4115	4155	4184	162.00	163.60	164.75	3.26	7.18
4/B162GL	B	4115	4155	4184	162.00	163.60	164.75	4.35	9.58
5/B162GL	B	4115	4155	4184	162.00	163.60	164.75	5.44	11.97
16/B162GL	B	4115	4155	4184	162.00	163.60	164.75	17.39	38.31
2/B168GL	B	4267	4307	4336	168.00	169.60	170.75	2.25	4.96
3/B168GL	B	4267	4307	4336	168.00	169.60	170.75	3.38	7.45
4/B168GL	B	4267	4307	4336	168.00	169.60	170.75	4.51	9.93
5/B168GL	B	4267	4307	4336	168.00	169.60	170.75	5.63	12.41
16/B168GL	B	4267	4307	4336	168.00	169.60	170.75	18.03	39.71
2/B173GL	B	4394	4434	4463	173.00	174.60	175.75	2.32	5.11
3/B173GL	B	4394	4434	4463	173.00	174.60	175.75	3.48	7.66
4/B173GL	B	4394	4434	4463	173.00	174.60	175.75	4.64	10.22
5/B173GL	B	4394	4434	4463	173.00	174.60	175.75	5.80	12.77
16/B173GL	B	4394	4434	4463	173.00	174.60	175.75	18.55	40.87
2/B180GL	B	4572	4612	4641	180.00	181.60	182.75	2.41	5.31
3/B180GL	B	4572	4612	4641	180.00	181.60	182.75	3.62	7.97

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/B180GL	B	4572	4612	4641	180.00	181.60	182.75	4.82	10.62
5/B180GL	B	4572	4612	4641	180.00	181.60	182.75	6.03	13.28
16/B180GL	B	4572	4612	4641	180.00	181.60	182.75	19.29	42.50
2/B184GL	B	4674	4714	4743	184.00	185.60	186.75	2.46	5.43
3/B184GL	B	4674	4714	4743	184.00	185.60	186.75	3.70	8.14
4/B184GL	B	4674	4714	4743	184.00	185.60	186.75	4.93	10.86
5/B184GL	B	4674	4714	4743	184.00	185.60	186.75	6.16	13.57
16/B184GL	B	4674	4714	4743	184.00	185.60	186.75	19.72	43.43
2/B185GL	B	4699	4739	4768	185.00	186.60	187.75	2.48	5.46
3/B185GL	B	4699	4739	4768	185.00	186.60	187.75	3.72	8.19
4/B185GL	B	4699	4739	4768	185.00	186.60	187.75	4.96	10.92
5/B185GL	B	4699	4739	4768	185.00	186.60	187.75	6.19	13.64
16/B185GL	B	4699	4739	4768	185.00	186.60	187.75	19.82	43.66
2/B188GL	B	4775	4815	4844	188.00	189.60	190.75	2.52	5.54
3/B188GL	B	4775	4815	4844	188.00	189.60	190.75	3.78	8.32
4/B188GL	B	4775	4815	4844	188.00	189.60	190.75	5.03	11.09
5/B188GL	B	4775	4815	4844	188.00	189.60	190.75	6.29	13.86
16/B188GL	B	4775	4815	4844	188.00	189.60	190.75	20.14	44.36
2/B190GL	B	4826	4866	4895	190.00	191.60	192.75	2.54	5.60
3/B190GL	B	4826	4866	4895	190.00	191.60	192.75	3.82	8.40
4/B190GL	B	4826	4866	4895	190.00	191.60	192.75	5.09	11.21
5/B190GL	B	4826	4866	4895	190.00	191.60	192.75	6.36	14.01
16/B190GL	B	4826	4866	4895	190.00	191.60	192.75	20.35	44.83
2/B195GL	B	4953	4993	5022	195.00	196.60	197.75	2.61	5.75
3/B195GL	B	4953	4993	5022	195.00	196.60	197.75	3.91	8.62
4/B195GL	B	4953	4993	5022	195.00	196.60	197.75	5.22	11.50
5/B195GL	B	4953	4993	5022	195.00	196.60	197.75	6.52	14.37
16/B195GL	B	4953	4993	5022	195.00	196.60	197.75	20.88	45.99
2/B200GL	B	5080	5120	5149	200.00	201.60	202.75	2.68	5.89
3/B200GL	B	5080	5120	5149	200.00	201.60	202.75	4.01	8.84
4/B200GL	B	5080	5120	5149	200.00	201.60	202.75	5.35	11.79
5/B200GL	B	5080	5120	5149	200.00	201.60	202.75	6.69	14.73
16/B200GL	B	5080	5120	5149	200.00	201.60	202.75	21.41	47.15
2/B210GL	B	5334	5374	5403	210.00	211.60	212.75	2.81	6.18
3/B210GL	B	5334	5374	5403	210.00	211.60	212.75	4.21	9.28
4/B210GL	B	5334	5374	5403	210.00	211.60	212.75	5.62	12.37
5/B210GL	B	5334	5374	5403	210.00	211.60	212.75	7.02	15.46
16/B210GL	B	5334	5374	5403	210.00	211.60	212.75	22.46	49.48
2/B218GL	B	5537	5577	5606	218.00	219.60	220.75	2.91	6.42
3/B218GL	B	5537	5577	5606	218.00	219.60	220.75	4.37	9.63
4/B218GL	B	5537	5577	5606	218.00	219.60	220.75	5.83	12.83
5/B218GL	B	5537	5577	5606	218.00	219.60	220.75	7.28	16.04
16/B218GL	B	5537	5577	5606	218.00	219.60	220.75	23.31	51.34
2/B225GL	B	5715	5755	5784	225.00	226.60	227.75	3.01	6.62
3/B225GL	B	5715	5755	5784	225.00	226.60	227.75	4.51	9.93
4/B225GL	B	5715	5755	5784	225.00	226.60	227.75	6.01	13.24
5/B225GL	B	5715	5755	5784	225.00	226.60	227.75	7.51	16.55
16/B225GL	B	5715	5755	5784	225.00	226.60	227.75	24.05	52.97
2/B240GL	B	6096	6136	6165	240.00	241.60	242.75	3.20	7.06
3/B240GL	B	6096	6136	6165	240.00	241.60	242.75	4.81	10.59
4/B240GL	B	6096	6136	6165	240.00	241.60	242.75	6.41	14.11
5/B240GL	B	6096	6136	6165	240.00	241.60	242.75	8.01	17.64
16/B240GL	B	6096	6136	6165	240.00	241.60	242.75	25.63	56.46
2/B255GL	B	6477	6517	6546	255.00	256.60	257.75	3.40	7.49
3/B255GL	B	6477	6517	6546	255.00	256.60	257.75	5.10	11.24
4/B255GL	B	6477	6517	6546	255.00	256.60	257.75	6.80	14.99
5/B255GL	B	6477	6517	6546	255.00	256.60	257.75	8.50	18.73

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
16/B255GL	B	6477	6517	6546	255.00	256.60	257.75	27.21	59.94
2/B270GL	B	6858	6898	6927	270.00	271.60	272.75	3.60	7.93
3/B270GL	B	6858	6898	6927	270.00	271.60	272.75	5.40	11.89
4/B270GL	B	6858	6898	6927	270.00	271.60	272.75	7.20	15.86
5/B270GL	B	6858	6898	6927	270.00	271.60	272.75	9.00	19.82
16/B270GL	B	6858	6898	6927	270.00	271.60	272.75	28.80	63.43
2/B300GL	B	7620	7660	7689	300.00	301.60	302.75	4.00	8.80
3/B300GL	B	7620	7660	7689	300.00	301.60	302.75	5.99	13.20
4/B300GL	B	7620	7660	7689	300.00	301.60	302.75	7.99	17.60
5/B300GL	B	7620	7660	7689	300.00	301.60	302.75	9.99	22.00
16/B300GL	B	7620	7660	7689	300.00	301.60	302.75	31.97	70.41
2/B310GL	B	7874	7914	7943	310.00	311.60	312.75	4.13	9.09
3/B310GL	B	7874	7914	7943	310.00	311.60	312.75	6.19	13.64
4/B310GL	B	7874	7914	7943	310.00	311.60	312.75	8.26	18.18
5/B310GL	B	7874	7914	7943	310.00	311.60	312.75	10.32	22.73
16/B310GL	B	7874	7914	7943	310.00	311.60	312.75	33.02	72.74
2/B315GL	B	8001	8041	8070	315.00	316.60	317.75	4.19	9.24
3/B315GL	B	8001	8041	8070	315.00	316.60	317.75	6.29	13.86
4/B315GL	B	8001	8041	8070	315.00	316.60	317.75	8.39	18.48
5/B315GL	B	8001	8041	8070	315.00	316.60	317.75	10.48	23.09
16/B315GL	B	8001	8041	8070	315.00	316.60	317.75	33.55	73.90
2/C83GL	C	2108	2167	2196	83.00	85.35	86.50	1.83	4.04
3/C83GL	C	2108	2167	2196	83.00	85.35	86.50	2.75	6.06
4/C83GL	C	2108	2167	2196	83.00	85.35	86.50	3.67	8.07
5/C83GL	C	2108	2167	2196	83.00	85.35	86.50	4.58	10.09
12/C83GL	C	2108	2167	2196	83.00	85.35	86.50	11.00	24.22
2/C85GL	C	2159	2218	2247	85.00	87.35	88.50	1.88	4.13
3/C85GL	C	2159	2218	2247	85.00	87.35	88.50	2.81	6.20
4/C85GL	C	2159	2218	2247	85.00	87.35	88.50	3.75	8.26
5/C85GL	C	2159	2218	2247	85.00	87.35	88.50	4.69	10.33
12/C85GL	C	2159	2218	2247	85.00	87.35	88.50	11.25	24.79
2/C87GL	C	2210	2269	2298	87.00	89.35	90.50	1.92	4.22
3/C87GL	C	2210	2269	2298	87.00	89.35	90.50	2.88	6.34
4/C87GL	C	2210	2269	2298	87.00	89.35	90.50	3.84	8.45
5/C87GL	C	2210	2269	2298	87.00	89.35	90.50	4.80	10.56
12/C87GL	C	2210	2269	2298	87.00	89.35	90.50	11.51	25.35
2/C90GL	C	2286	2345	2374	90.00	92.35	93.50	1.98	4.36
3/C90GL	C	2286	2345	2374	90.00	92.35	93.50	2.97	6.55
4/C90GL	C	2286	2345	2374	90.00	92.35	93.50	3.96	8.73
5/C90GL	C	2286	2345	2374	90.00	92.35	93.50	4.95	10.91
12/C90GL	C	2286	2345	2374	90.00	92.35	93.50	11.89	26.19
2/C96GL	C	2438	2497	2526	96.00	98.35	99.50	2.11	4.64
3/C96GL	C	2438	2497	2526	96.00	98.35	99.50	3.16	6.97
4/C96GL	C	2438	2497	2526	96.00	98.35	99.50	4.22	9.29
5/C96GL	C	2438	2497	2526	96.00	98.35	99.50	5.27	11.61
12/C96GL	C	2438	2497	2526	96.00	98.35	99.50	12.65	27.86
2/C99GL	C	2515	2574	2603	99.00	101.35	102.50	2.17	4.79
3/C99GL	C	2515	2574	2603	99.00	101.35	102.50	3.26	7.18
4/C99GL	C	2515	2574	2603	99.00	101.35	102.50	4.35	9.57
5/C99GL	C	2515	2574	2603	99.00	101.35	102.50	5.43	11.96
12/C99GL	C	2515	2574	2603	99.00	101.35	102.50	13.04	28.71
2/C100GL	C	2540	2599	2628	100.00	102.35	103.50	2.19	4.83
3/C100GL	C	2540	2599	2628	100.00	102.35	103.50	3.29	7.25
4/C100GL	C	2540	2599	2628	100.00	102.35	103.50	4.39	9.66
5/C100GL	C	2540	2599	2628	100.00	102.35	103.50	5.48	12.08
12/C100GL	C	2540	2599	2628	100.00	102.35	103.50	13.16	28.99
2/C105GL	C	2667	2726	2755	105.00	107.35	108.50	2.30	5.06

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/C105GL	C	2667	2726	2755	105.00	107.35	108.50	3.45	7.60
4/C105GL	C	2667	2726	2755	105.00	107.35	108.50	4.60	10.13
5/C105GL	C	2667	2726	2755	105.00	107.35	108.50	5.75	12.66
12/C105GL	C	2667	2726	2755	105.00	107.35	108.50	13.80	30.39
2/C108GL	C	2743	2802	2831	108.00	110.35	111.50	2.36	5.20
3/C108GL	C	2743	2802	2831	108.00	110.35	111.50	3.54	7.81
4/C108GL	C	2743	2802	2831	108.00	110.35	111.50	4.73	10.41
5/C108GL	C	2743	2802	2831	108.00	110.35	111.50	5.91	13.01
12/C108GL	C	2743	2802	2831	108.00	110.35	111.50	14.18	31.23
2/C109GL	C	2769	2828	2857	109.00	111.35	112.50	2.38	5.25
3/C109GL	C	2769	2828	2857	109.00	111.35	112.50	3.58	7.88
4/C109GL	C	2769	2828	2857	109.00	111.35	112.50	4.77	10.50
5/C109GL	C	2769	2828	2857	109.00	111.35	112.50	5.96	13.13
12/C109GL	C	2769	2828	2857	109.00	111.35	112.50	14.31	31.51
2/C110GL	C	2794	2853	2882	110.00	112.35	113.50	2.41	5.30
3/C110GL	C	2794	2853	2882	110.00	112.35	113.50	3.61	7.95
4/C110GL	C	2794	2853	2882	110.00	112.35	113.50	4.81	10.60
5/C110GL	C	2794	2853	2882	110.00	112.35	113.50	6.01	13.25
12/C110GL	C	2794	2853	2882	110.00	112.35	113.50	14.43	31.79
2/C112GL	C	2845	2904	2933	112.00	114.35	115.50	2.45	5.39
3/C112GL	C	2845	2904	2933	112.00	114.35	115.50	3.67	8.09
4/C112GL	C	2845	2904	2933	112.00	114.35	115.50	4.90	10.78
5/C112GL	C	2845	2904	2933	112.00	114.35	115.50	6.12	13.48
12/C112GL	C	2845	2904	2933	112.00	114.35	115.50	14.69	32.35
2/C115GL	C	2921	2980	3009	115.00	117.35	118.50	2.51	5.53
3/C115GL	C	2921	2980	3009	115.00	117.35	118.50	3.77	8.30
4/C115GL	C	2921	2980	3009	115.00	117.35	118.50	5.02	11.06
5/C115GL	C	2921	2980	3009	115.00	117.35	118.50	6.28	13.83
12/C115GL	C	2921	2980	3009	115.00	117.35	118.50	15.07	33.19
2/C120GL	C	3048	3107	3136	120.00	122.35	123.50	2.62	5.77
3/C120GL	C	3048	3107	3136	120.00	122.35	123.50	3.93	8.65
4/C120GL	C	3048	3107	3136	120.00	122.35	123.50	5.23	11.53
5/C120GL	C	3048	3107	3136	120.00	122.35	123.50	6.54	14.41
12/C120GL	C	3048	3107	3136	120.00	122.35	123.50	15.70	34.59
2/C124GL	C	3150	3209	3238	124.00	126.35	127.50	2.70	5.95
3/C124GL	C	3150	3209	3238	124.00	126.35	127.50	4.05	8.93
4/C124GL	C	3150	3209	3238	124.00	126.35	127.50	5.41	11.91
5/C124GL	C	3150	3209	3238	124.00	126.35	127.50	6.76	14.88
12/C124GL	C	3150	3209	3238	124.00	126.35	127.50	16.22	35.72
2/C126GL	C	3200	3259	3288	126.00	128.35	129.50	2.74	6.04
3/C126GL	C	3200	3259	3288	126.00	128.35	129.50	4.12	9.07
4/C126GL	C	3200	3259	3288	126.00	128.35	129.50	5.49	12.09
5/C126GL	C	3200	3259	3288	126.00	128.35	129.50	6.86	15.11
12/C126GL	C	3200	3259	3288	126.00	128.35	129.50	16.47	36.27
2/C128GL	C	3251	3310	3339	128.00	130.35	131.50	2.79	6.14
3/C128GL	C	3251	3310	3339	128.00	130.35	131.50	4.18	9.21
4/C128GL	C	3251	3310	3339	128.00	130.35	131.50	5.57	12.28
5/C128GL	C	3251	3310	3339	128.00	130.35	131.50	6.97	15.35
12/C128GL	C	3251	3310	3339	128.00	130.35	131.50	16.72	36.83
2/C136GL	C	3454	3513	3542	136.00	138.35	139.50	2.96	6.51
3/C136GL	C	3454	3513	3542	136.00	138.35	139.50	4.43	9.77
4/C136GL	C	3454	3513	3542	136.00	138.35	139.50	5.91	13.02
5/C136GL	C	3454	3513	3542	136.00	138.35	139.50	7.39	16.28
12/C136GL	C	3454	3513	3542	136.00	138.35	139.50	17.74	39.07
2/C144GL	C	3658	3717	3746	144.00	146.35	147.50	3.13	6.89
3/C144GL	C	3658	3717	3746	144.00	146.35	147.50	4.69	10.33
4/C144GL	C	3658	3717	3746	144.00	146.35	147.50	6.25	13.77

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5/C144GL	C	3658	3717	3746	144.00	146.35	147.50	7.82	17.22
12/C144GL	C	3658	3717	3746	144.00	146.35	147.50	18.76	41.32
2/C146GL	C	3708	3767	3796	146.00	148.35	149.50	3.17	6.98
3/C146GL	C	3708	3767	3796	146.00	148.35	149.50	4.75	10.47
4/C146GL	C	3708	3767	3796	146.00	148.35	149.50	6.34	13.96
5/C146GL	C	3708	3767	3796	146.00	148.35	149.50	7.92	17.45
12/C146GL	C	3708	3767	3796	146.00	148.35	149.50	19.01	41.87
2/C151GL	C	3835	3894	3923	151.00	153.35	154.50	3.27	7.21
3/C151GL	C	3835	3894	3923	151.00	153.35	154.50	4.91	10.82
4/C151GL	C	3835	3894	3923	151.00	153.35	154.50	6.55	14.42
5/C151GL	C	3835	3894	3923	151.00	153.35	154.50	8.19	18.03
12/C151GL	C	3835	3894	3923	151.00	153.35	154.50	19.65	43.27
2/C158GL	C	4013	4072	4101	158.00	160.35	161.50	3.42	7.54
3/C158GL	C	4013	4072	4101	158.00	160.35	161.50	5.13	11.31
4/C158GL	C	4013	4072	4101	158.00	160.35	161.50	6.85	15.08
5/C158GL	C	4013	4072	4101	158.00	160.35	161.50	8.56	18.85
12/C158GL	C	4013	4072	4101	158.00	160.35	161.50	20.54	45.24
2/C162GL	C	4115	4174	4203	162.00	164.35	165.50	3.51	7.73
3/C162GL	C	4115	4174	4203	162.00	164.35	165.50	5.26	11.59
4/C162GL	C	4115	4174	4203	162.00	164.35	165.50	7.02	15.45
5/C162GL	C	4115	4174	4203	162.00	164.35	165.50	8.77	19.32
12/C162GL	C	4115	4174	4203	162.00	164.35	165.50	21.05	46.36
2/C173GL	C	4394	4453	4482	173.00	175.35	176.50	3.74	8.24
3/C173GL	C	4394	4453	4482	173.00	175.35	176.50	5.61	12.36
4/C173GL	C	4394	4453	4482	173.00	175.35	176.50	7.48	16.48
5/C173GL	C	4394	4453	4482	173.00	175.35	176.50	9.35	20.60
12/C173GL	C	4394	4453	4482	173.00	175.35	176.50	22.45	49.44
2/C180GL	C	4572	4631	4660	180.00	182.35	183.50	3.89	8.57
3/C180GL	C	4572	4631	4660	180.00	182.35	183.50	5.83	12.85
4/C180GL	C	4572	4631	4660	180.00	182.35	183.50	7.78	17.13
5/C180GL	C	4572	4631	4660	180.00	182.35	183.50	9.72	21.42
12/C180GL	C	4572	4631	4660	180.00	182.35	183.50	23.34	51.40
2/C185GL	C	4699	4758	4787	185.00	187.35	188.50	4.00	8.80
3/C185GL	C	4699	4758	4787	185.00	187.35	188.50	5.99	13.20
4/C185GL	C	4699	4758	4787	185.00	187.35	188.50	7.99	17.60
5/C185GL	C	4699	4758	4787	185.00	187.35	188.50	9.99	22.00
12/C185GL	C	4699	4758	4787	185.00	187.35	188.50	23.97	52.80
2/C189GL	C	4801	4860	4889	189.00	191.35	192.50	4.08	8.99
3/C189GL	C	4801	4860	4889	189.00	191.35	192.50	6.12	13.48
4/C189GL	C	4801	4860	4889	189.00	191.35	192.50	8.16	17.98
5/C189GL	C	4801	4860	4889	189.00	191.35	192.50	10.20	22.47
12/C189GL	C	4801	4860	4889	189.00	191.35	192.50	24.48	53.93
2/C190GL	C	4826	4885	4914	190.00	192.35	193.50	4.10	9.03
3/C190GL	C	4826	4885	4914	190.00	192.35	193.50	6.15	13.55
4/C190GL	C	4826	4885	4914	190.00	192.35	193.50	8.20	18.07
5/C190GL	C	4826	4885	4914	190.00	192.35	193.50	10.25	22.59
12/C190GL	C	4826	4885	4914	190.00	192.35	193.50	24.61	54.20
2/C195GL	C	4953	5012	5041	195.00	197.35	198.50	4.21	9.27
3/C195GL	C	4953	5012	5041	195.00	197.35	198.50	6.31	13.90
4/C195GL	C	4953	5012	5041	195.00	197.35	198.50	8.41	18.54
5/C195GL	C	4953	5012	5041	195.00	197.35	198.50	10.52	23.17
12/C195GL	C	4953	5012	5041	195.00	197.35	198.50	25.24	55.61
2/C204GL	C	5182	5241	5270	204.00	206.35	207.50	4.40	9.69
3/C204GL	C	5182	5241	5270	204.00	206.35	207.50	6.60	14.53
4/C204GL	C	5182	5241	5270	204.00	206.35	207.50	8.80	19.38
5/C204GL	C	5182	5241	5270	204.00	206.35	207.50	11.00	24.22
12/C204GL	C	5182	5241	5270	204.00	206.35	207.50	26.39	58.13

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/C207GL	C	5258	5317	5346	207.00	209.35	210.50	4.46	9.83
3/C207GL	C	5258	5317	5346	207.00	209.35	210.50	6.69	14.74
4/C207GL	C	5258	5317	5346	207.00	209.35	210.50	8.92	19.66
5/C207GL	C	5258	5317	5346	207.00	209.35	210.50	11.16	24.57
12/C207GL	C	5258	5317	5346	207.00	209.35	210.50	26.77	58.97
2/C210GL	C	5334	5393	5422	210.00	212.35	213.50	4.53	9.97
3/C210GL	C	5334	5393	5422	210.00	212.35	213.50	6.79	14.95
4/C210GL	C	5334	5393	5422	210.00	212.35	213.50	9.05	19.94
5/C210GL	C	5334	5393	5422	210.00	212.35	213.50	11.31	24.92
12/C210GL	C	5334	5393	5422	210.00	212.35	213.50	27.15	59.81
2/C225GL	C	5715	5774	5803	225.00	227.35	228.50	4.84	10.67
3/C225GL	C	5715	5774	5803	225.00	227.35	228.50	7.27	16.00
4/C225GL	C	5715	5774	5803	225.00	227.35	228.50	9.69	21.34
5/C225GL	C	5715	5774	5803	225.00	227.35	228.50	12.11	26.67
12/C225GL	C	5715	5774	5803	225.00	227.35	228.50	29.06	64.01
2/C240GL	C	6096	6155	6184	240.00	242.35	243.50	5.16	11.37
3/C240GL	C	6096	6155	6184	240.00	242.35	243.50	7.74	17.05
4/C240GL	C	6096	6155	6184	240.00	242.35	243.50	10.32	22.74
5/C240GL	C	6096	6155	6184	240.00	242.35	243.50	12.90	28.42
12/C240GL	C	6096	6155	6184	240.00	242.35	243.50	30.97	68.21
2/C255GL	C	6477	6536	6565	255.00	257.35	258.50	5.48	12.07
3/C255GL	C	6477	6536	6565	255.00	257.35	258.50	8.22	18.10
4/C255GL	C	6477	6536	6565	255.00	257.35	258.50	10.96	24.14
5/C255GL	C	6477	6536	6565	255.00	257.35	258.50	13.70	30.17
12/C255GL	C	6477	6536	6565	255.00	257.35	258.50	32.88	72.42
2/C270GL	C	6858	6917	6946	270.00	272.35	273.50	5.80	12.77
3/C270GL	C	6858	6917	6946	270.00	272.35	273.50	8.70	19.15
4/C270GL	C	6858	6917	6946	270.00	272.35	273.50	11.59	25.54
5/C270GL	C	6858	6917	6946	270.00	272.35	273.50	14.49	31.92
12/C270GL	C	6858	6917	6946	270.00	272.35	273.50	34.78	76.62
2/C285GL	C	7239	7298	7327	285.00	287.35	288.50	6.12	13.47
3/C285GL	C	7239	7298	7327	285.00	287.35	288.50	9.17	20.21
4/C285GL	C	7239	7298	7327	285.00	287.35	288.50	12.23	26.94
5/C285GL	C	7239	7298	7327	285.00	287.35	288.50	15.29	33.68
12/C285GL	C	7239	7298	7327	285.00	287.35	288.50	36.69	80.82
2/C300GL	C	7620	7679	7708	300.00	302.35	303.50	6.43	14.17
3/C300GL	C	7620	7679	7708	300.00	302.35	303.50	9.65	21.26
4/C300GL	C	7620	7679	7708	300.00	302.35	303.50	12.87	28.34
5/C300GL	C	7620	7679	7708	300.00	302.35	303.50	16.08	35.43
12/C300GL	C	7620	7679	7708	300.00	302.35	303.50	38.60	85.02
2/C315GL	C	8001	8060	8089	315.00	317.35	318.50	6.75	14.87
3/C315GL	C	8001	8060	8089	315.00	317.35	318.50	10.13	22.31
4/C315GL	C	8001	8060	8089	315.00	317.35	318.50	13.50	29.74
5/C315GL	C	8001	8060	8089	315.00	317.35	318.50	16.88	37.18
12/C315GL	C	8001	8060	8089	315.00	317.35	318.50	40.51	89.23
2/C330GL	C	8382	8441	8470	330.00	332.35	333.50	7.07	15.57
3/C330GL	C	8382	8441	8470	330.00	332.35	333.50	10.60	23.36
4/C330GL	C	8382	8441	8470	330.00	332.35	333.50	14.14	31.14
5/C330GL	C	8382	8441	8470	330.00	332.35	333.50	17.67	38.93
12/C330GL	C	8382	8441	8470	330.00	332.35	333.50	42.42	93.43
2/C345GL	C	8763	8822	8851	345.00	347.35	348.50	7.39	16.27
3/C345GL	C	8763	8822	8851	345.00	347.35	348.50	11.08	24.41
4/C345GL	C	8763	8822	8851	345.00	347.35	348.50	14.77	32.54
5/C345GL	C	8763	8822	8851	345.00	347.35	348.50	18.47	40.68
12/C345GL	C	8763	8822	8851	345.00	347.35	348.50	44.32	97.63
2/C360GL	C	9144	9203	9232	360.00	362.35	363.50	7.71	16.97
3/C360GL	C	9144	9203	9232	360.00	362.35	363.50	11.56	25.46

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/C360GL	C	9144	9203	9232	360.00	362.35	363.50	15.41	33.94
5/C360GL	C	9144	9203	9232	360.00	362.35	363.50	19.26	42.43
12/C360GL	C	9144	9203	9232	360.00	362.35	363.50	46.23	101.83
2/C390GL	C	9906	9965	9994	390.00	392.35	393.50	8.34	18.37
3/C390GL	C	9906	9965	9994	390.00	392.35	393.50	12.51	27.56
4/C390GL	C	9906	9965	9994	390.00	392.35	393.50	16.68	36.75
5/C390GL	C	9906	9965	9994	390.00	392.35	393.50	20.85	45.93
12/C390GL	C	9906	9965	9994	390.00	392.35	393.50	50.05	110.24
2/C420GL	C	10668	10727	10756	420.00	422.35	423.50	8.98	19.77
3/C420GL	C	10668	10727	10756	420.00	422.35	423.50	13.47	29.66
4/C420GL	C	10668	10727	10756	420.00	422.35	423.50	17.95	39.55
5/C420GL	C	10668	10727	10756	420.00	422.35	423.50	22.44	49.44
12/C420GL	C	10668	10727	10756	420.00	422.35	423.50	53.86	118.64
2/D158GL	D	4013	4089	4139	158.00	161.00	163.00	7.20	15.86
3/D158GL	D	4013	4089	4139	158.00	161.00	163.00	10.80	23.80
4/D158GL	D	4013	4089	4139	158.00	161.00	163.00	14.41	31.73
5/D158GL	D	4013	4089	4139	158.00	161.00	163.00	18.01	39.66
9/D158GL	D	4013	4089	4139	158.00	161.00	163.00	32.41	71.39
2/D162GL	D	4115	4191	4241	162.00	165.00	167.00	7.38	16.26
3/D162GL	D	4115	4191	4241	162.00	165.00	167.00	11.07	24.38
4/D162GL	D	4115	4191	4241	162.00	165.00	167.00	14.76	32.51
5/D162GL	D	4115	4191	4241	162.00	165.00	167.00	18.45	40.64
9/D162GL	D	4115	4191	4241	162.00	165.00	167.00	33.21	73.15
2/D173GL	D	4394	4470	4520	173.00	176.00	178.00	7.87	17.32
3/D173GL	D	4394	4470	4520	173.00	176.00	178.00	11.80	25.99
4/D173GL	D	4394	4470	4520	173.00	176.00	178.00	15.73	34.65
5/D173GL	D	4394	4470	4520	173.00	176.00	178.00	19.66	43.31
9/D173GL	D	4394	4470	4520	173.00	176.00	178.00	35.39	77.96
2/D180GL	D	4572	4648	4698	180.00	183.00	185.00	8.18	18.01
3/D180GL	D	4572	4648	4698	180.00	183.00	185.00	12.26	27.01
4/D180GL	D	4572	4648	4698	180.00	183.00	185.00	16.35	36.01
5/D180GL	D	4572	4648	4698	180.00	183.00	185.00	20.44	45.02
9/D180GL	D	4572	4648	4698	180.00	183.00	185.00	36.79	81.03
2/D195GL	D	4953	5029	5079	195.00	198.00	200.00	8.84	19.47
3/D195GL	D	4953	5029	5079	195.00	198.00	200.00	13.26	29.20
4/D195GL	D	4953	5029	5079	195.00	198.00	200.00	17.68	38.94
5/D195GL	D	4953	5029	5079	195.00	198.00	200.00	22.10	48.67
9/D195GL	D	4953	5029	5079	195.00	198.00	200.00	39.77	87.60
2/D210GL	D	5334	5410	5460	210.00	213.00	215.00	9.50	20.93
3/D210GL	D	5334	5410	5460	210.00	213.00	215.00	14.25	31.39
4/D210GL	D	5334	5410	5460	210.00	213.00	215.00	19.00	41.86
5/D210GL	D	5334	5410	5460	210.00	213.00	215.00	23.75	52.32
9/D210GL	D	5334	5410	5460	210.00	213.00	215.00	42.76	94.18
2/D225GL	D	5715	5791	5841	225.00	228.00	230.00	10.16	22.39
3/D225GL	D	5715	5791	5841	225.00	228.00	230.00	15.25	33.58
4/D225GL	D	5715	5791	5841	225.00	228.00	230.00	20.33	44.78
5/D225GL	D	5715	5791	5841	225.00	228.00	230.00	25.41	55.97
9/D225GL	D	5715	5791	5841	225.00	228.00	230.00	45.74	100.75
2/D240GL	D	6096	6172	6222	240.00	243.00	245.00	10.83	23.85
3/D240GL	D	6096	6172	6222	240.00	243.00	245.00	16.24	35.77
4/D240GL	D	6096	6172	6222	240.00	243.00	245.00	21.65	47.70
5/D240GL	D	6096	6172	6222	240.00	243.00	245.00	27.07	59.62
9/D240GL	D	6096	6172	6222	240.00	243.00	245.00	48.72	107.32
2/D250GL	D	6350	6426	6476	250.00	253.00	255.00	11.27	24.82
3/D250GL	D	6350	6426	6476	250.00	253.00	255.00	16.90	37.23
4/D250GL	D	6350	6426	6476	250.00	253.00	255.00	22.54	49.64
5/D250GL	D	6350	6426	6476	250.00	253.00	255.00	28.17	62.06

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
9/D250GL	D	6350	6426	6476	250.00	253.00	255.00	50.71	111.70
2/D255GL	D	6477	6553	6603	255.00	258.00	260.00	11.49	25.31
3/D255GL	D	6477	6553	6603	255.00	258.00	260.00	17.24	37.96
4/D255GL	D	6477	6553	6603	255.00	258.00	260.00	22.98	50.62
5/D255GL	D	6477	6553	6603	255.00	258.00	260.00	28.73	63.27
9/D255GL	D	6477	6553	6603	255.00	258.00	260.00	51.71	113.89
2/D270GL	D	6858	6934	6984	270.00	273.00	275.00	12.15	26.77
3/D270GL	D	6858	6934	6984	270.00	273.00	275.00	18.23	40.15
4/D270GL	D	6858	6934	6984	270.00	273.00	275.00	24.31	53.54
5/D270GL	D	6858	6934	6984	270.00	273.00	275.00	30.38	66.92
9/D270GL	D	6858	6934	6984	270.00	273.00	275.00	54.69	120.46
2/D285GL	D	7239	7315	7365	285.00	288.00	290.00	12.82	28.23
3/D285GL	D	7239	7315	7365	285.00	288.00	290.00	19.22	42.34
4/D285GL	D	7239	7315	7365	285.00	288.00	290.00	25.63	56.46
5/D285GL	D	7239	7315	7365	285.00	288.00	290.00	32.04	70.57
9/D285GL	D	7239	7315	7365	285.00	288.00	290.00	57.67	127.03
2/D300GL	D	7620	7696	7746	300.00	303.00	305.00	13.48	29.69
3/D300GL	D	7620	7696	7746	300.00	303.00	305.00	20.22	44.53
4/D300GL	D	7620	7696	7746	300.00	303.00	305.00	26.96	59.38
5/D300GL	D	7620	7696	7746	300.00	303.00	305.00	33.70	74.22
9/D300GL	D	7620	7696	7746	300.00	303.00	305.00	60.66	133.60
2/D315GL	D	8001	8077	8127	315.00	318.00	320.00	14.14	31.15
3/D315GL	D	8001	8077	8127	315.00	318.00	320.00	21.21	46.73
4/D315GL	D	8001	8077	8127	315.00	318.00	320.00	28.28	62.30
5/D315GL	D	8001	8077	8127	315.00	318.00	320.00	35.36	77.88
9/D315GL	D	8001	8077	8127	315.00	318.00	320.00	63.64	140.18
2/D330GL	D	8382	8458	8508	330.00	333.00	335.00	14.81	32.61
3/D330GL	D	8382	8458	8508	330.00	333.00	335.00	22.21	48.92
4/D330GL	D	8382	8458	8508	330.00	333.00	335.00	29.61	65.22
5/D330GL	D	8382	8458	8508	330.00	333.00	335.00	37.01	81.53
9/D330GL	D	8382	8458	8508	330.00	333.00	335.00	66.62	146.75
2/D345GL	D	8763	8839	8889	345.00	348.00	350.00	15.47	34.07
3/D345GL	D	8763	8839	8889	345.00	348.00	350.00	23.20	51.11
4/D345GL	D	8763	8839	8889	345.00	348.00	350.00	30.94	68.14
5/D345GL	D	8763	8839	8889	345.00	348.00	350.00	38.67	85.18
9/D345GL	D	8763	8839	8889	345.00	348.00	350.00	69.61	153.32
2/D360GL	D	9144	9220	9270	360.00	363.00	365.00	16.13	35.53
3/D360GL	D	9144	9220	9270	360.00	363.00	365.00	24.20	53.30
4/D360GL	D	9144	9220	9270	360.00	363.00	365.00	32.26	71.06
5/D360GL	D	9144	9220	9270	360.00	363.00	365.00	40.33	88.83
9/D360GL	D	9144	9220	9270	360.00	363.00	365.00	72.59	159.89
2/D390GL	D	9906	9982	10032	390.00	393.00	395.00	17.46	38.45
3/D390GL	D	9906	9982	10032	390.00	393.00	395.00	26.19	57.68
4/D390GL	D	9906	9982	10032	390.00	393.00	395.00	34.91	76.90
5/D390GL	D	9906	9982	10032	390.00	393.00	395.00	43.64	96.13
9/D390GL	D	9906	9982	10032	390.00	393.00	395.00	78.56	173.03
2/D420GL	D	10668	10744	10794	420.00	423.00	425.00	18.78	41.37
3/D420GL	D	10668	10744	10794	420.00	423.00	425.00	28.17	62.06
4/D420GL	D	10668	10744	10794	420.00	423.00	425.00	37.57	82.75
5/D420GL	D	10668	10744	10794	420.00	423.00	425.00	46.96	103.43
9/D420GL	D	10668	10744	10794	420.00	423.00	425.00	84.52	186.18
2/D450GL	D	11430	11506	11556	450.00	453.00	455.00	20.11	44.29
3/D450GL	D	11430	11506	11556	450.00	453.00	455.00	30.16	66.44
4/D450GL	D	11430	11506	11556	450.00	453.00	455.00	40.22	88.59
5/D450GL	D	11430	11506	11556	450.00	453.00	455.00	50.27	110.73
9/D450GL	D	11430	11506	11556	450.00	453.00	455.00	90.49	199.32
2/D480GL	D	12192	12268	12318	480.00	483.00	485.00	21.44	47.21

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/D480GL	D	12192	12268	12318	480.00	483.00	485.00	32.15	70.82
4/D480GL	D	12192	12268	12318	480.00	483.00	485.00	42.87	94.43
5/D480GL	D	12192	12268	12318	480.00	483.00	485.00	53.59	118.04
9/D480GL	D	12192	12268	12318	480.00	483.00	485.00	96.46	212.46
2/D540GL	D	13716	13792	13842	540.00	543.00	545.00	24.09	53.06
3/D540GL	D	13716	13792	13842	540.00	543.00	545.00	36.13	79.58
4/D540GL	D	13716	13792	13842	540.00	543.00	545.00	48.17	106.11
5/D540GL	D	13716	13792	13842	540.00	543.00	545.00	60.22	132.64
9/D540GL	D	13716	13792	13842	540.00	543.00	545.00	108.39	238.75
2/D590GL	D	14986	15062	15112	590.00	593.00	595.00	26.30	57.92
3/D590GL	D	14986	15062	15112	590.00	593.00	595.00	39.45	86.89
4/D590GL	D	14986	15062	15112	590.00	593.00	595.00	52.59	115.85
5/D590GL	D	14986	15062	15112	590.00	593.00	595.00	65.74	144.81
9/D590GL	D	14986	15062	15112	590.00	593.00	595.00	118.34	260.66